The Journal of Clinical Investigation

July to December 1996
Volume 98

Produced by
The Rockefeller University Press
for The American Society
for Clinical Investigation, Inc.

The Journal of Clinical Investigation

Published by The Rockefeller University Press, New York *for* the American Society for Clinical Investigation, Inc.

Paul A. Insel, Editor

Martin F. Kagnoff, Editor

Associate Editors

Roland C. Blantz
Dennis A. Carson
Kenneth R. Chien
Wolfgang H. Dillmann
Theodore Friedmann
Mark H. Ginsberg
Donald G. Guiney
Karl Y. Hostetler
Carolyn J. Kelly
Thomas J. Kipps
Fu-Tong Liu
Jerrold M. Olefsky
Zaverio M. Ruggeri
Ajit P. Varki
Peter D. Wagner
Joseph L. Witztum

E. Kay Meschko, *Managing Editor*

Jerry Kappa, *Assistant Managing Editor*

Consulting Editors

Peter Agre*
R. Wayne Alexander
Robert J. Alpern
David H. Alpers
Peter S. Aronson*
Bernard M. Babior
Alain D. Baron*
Elizabeth Barrett-Connor
Kurt Benirschke
Bruce Beutler*
Michael P. Bevilacqua
Martin J. Blaser*
Jan L. Breslow
Frances M. Brodsky*
Eric J. Brown
C. Thomas Caskey*
Webster Cavanee
Alan Cherrington
Francis V. Chisari
Charles G. Cochrane
Desire Collen
Barry S. Coller
James D. Crapo
Philip E. Cryer
Linda K. Curtiss
Jared M. Diamond
Jeffrey M. Drazen
Boris Draznin
Richard Dutton
Walter Eckhart
Robert A. Eisenberg
Glen A. Evans
Darrell D. Fanestil
Marilyn G. Farquhar
Jack L. Feldman
James R. Feramisco
Joshua Fierer
Alan M. Fogelman
Uta Francke*
Elaine V. Fuchs*
Fred H. Gage
Detlev Ganten
Barbara Gilchrest*
Gordon N. Gill
Henry N. Ginsberg
Laurie H. Glimcher*
Mehran Goulian
Bevra H. Hahn
John M. Harlan*
Raymond C. Harris*
Stephen M. Hedrick
Brian B. Hoffman
Alan Hofmann
Tasuku Honjo
Jay H. Hoofnagle
Marcus A. Horwitz
Stephen B. Howell
Willa A. Hsueh
Charles A. Janeway, Jr.
C. Ronald Kahn
Yuet Wai Kan
Elliott D. Kieff
Seymour J. Klebanoff
Robert A. Klocke
Stuart Kornfeld
Ira Kurtz
Alan R. Leff
Derek LeRoith*
Peter Libby
Dean H. Lockwood
Richard M. Locksley*
David J. Loskutoff
Lloyd F. Mayer*
John A. McDonald
Shlomo Melmed
Donald Metcalf
Martin Michel
Thomas Michel*
Beverly S. Mitchell*
Robert L. Modlin
Salvador Moncada
Elizabeth G. Nabel*
Jacob B. Natvig
Eric G. Neilson*
Yale Nemerson
Gerald T. Nepom
Elizabeth F. Neufeld
Yasutomi Nishizuka
Daniel T. O'Connor
Stuart H. Orkin
George E. Palade
Stephen J. Pandol
Thalia Papayannopoulou*
James C. Paulson
Daniel K. Podolsky
Kenneth S. Polonsky
Jacques Pouyssegur
Stephen M. Prescott*
John C. Reed*
Douglas Richman
B. Lawrence Riggs*
John Ross, Jr.
Arthur H. Rubenstein
Erkki Ruoslahti
E. Helene Sage*
Stephen M. Schwartz
William E. Seaman
Larry J. Shapiro
Sanford J. Shattil*
Margaret Shipp
Jan J. Sixma
James R. Snapper
Roger Spragg
George Stamatoyannopoulos*
Daniel Steinberg
Judith L. Swain*
Eng M. Tan
Palmer W. Taylor
Donald F. Tierney
Michael Tuck
Denisa Wagner*
Geoffrey M. Wahl
John H. Walsh
Karlman Wasserman
Stephen Wasserman
David J. Weatherall
John B. West
Cornelia Weyand
Raymond L. White
Jeffrey A. Whitsett*
Flossie Wong-Staal
Stephen G. Young
Elizabeth Ziegler

*Members of the Editorial Committee, American Society for Clinical Investigation, Inc.

Manuscript Coordinators Arline Allen, Kelly Corcoran, Irene Hendricks, and M. Kayle Watts

Copy Editing and Production Robert J. O'Donnell, Justine M. Manser, and Timothy F. Maguire

Editorial Offices: University of California at San Diego, School of Medicine and Veterans Affairs Medical Center

Contents

The Journal of Clinical Investigation
July 1, 1996, Volume 98, Number 1

Editorials

The continuing saga of complement receptor type 3 (CR3) *R.F. Todd III*.....1

Metal transport and unsafe sanctuary sites. *J. Kaplan*.....3

The oxidant stress of hyperhomocyst(e)inemia. *J. Loscalzo*.....5

Regular Articles

Soluble β-glucan polysaccharide binding to the lectin site of neutrophil or natural killer cell complement receptor type 3 (CD11b/CD18) generates a primed state of the receptor capable of mediating cytotoxicity of iC3b-opsonized target cells. *V. Větvička, B.P. Thornton, and G.D. Ross*.....50

Glucose metabolism distal to a critical coronary stenosis in a canine model of low-flow myocardial ischemia. *P.H. McNulty, A.J. Sinusas, C.Q.-X. Shi, D. Dione, L.H. Young, G.C. Cline, and G.I. Shulman*.....62

Induction of circulating myelin basic protein and proteolipid protein-specific transforming growth factor-β1–secreting Th3 T cells by oral administration of myelin in multiple sclerosis patients. *H. Fukaura, S.C. Kent, M.J. Pietrusewicz, S.J. Khoury, H.L. Weiner, and D.A. Hafler*.....70

Oxidized low density lipoprotein inhibits lipopolysaccharide-induced binding of nuclear factor–κB to DNA and the subsequent expression of tumor necrosis factor–α and interleukin-1β in macrophages. *B.G. Ohlsson, M.C.O. Englund, A.-L.K. Karlsson, E. Knutsen, C. Erixon, H. Skribeck, Y. Liu, G. Bondjers, and O. Wiklund*.....78

Evidence for a catabolic role of glucagon during an amino acid load. *M.R. Charlton, D.B. Adey, and K.S. Nair*.....90

Acute graft versus host disease due to T lymphocytes recognizing a single HLA-DPB1*0501 mismatch. *J. Gaschet, A. Lim, L. Liem, R. Vivien, M.-M. Hallet, J.-L. Harousseau, J. Even, E. Goulmy, M. Bonneville, N. Milpied, and H. Vié*.....100

Intracellular lactate- and pyruvate-interconversion rates are increased in muscle tissue of non–insulin-dependent diabetic individuals. *A. Avogaro, G. Toffolo, M. Miola, A. Valerio, A. Tiengo, C. Cobelli, and S. Del Prato*.....108

Bioactivity of glomerular ultrafiltrate during heavy proteinuria may contribute to renal tubulo–interstitial lesions. Evidence for a role for insulin-like growth factor I. *R. Hirschberg*.....116

Effect of prior exercise on the partitioning of an intestinal glucose load between splanchnic bed and skeletal muscle. *K.S. Hamilton, F.K. Gibbons, D.P. Bracy, D.B. Lacy, A.D. Cherrington, and D.H. Wasserman*.....125

Evidence of oxidant-induced injury to epithelial cells during inflammatory bowel disease. *S.J. McKenzie, M.S. Baker, G.D. Buffinton, and W.F. Doe*.....136

A novel mechanism of glucocorticoid-induced immune suppression: the inhibition of T cell–mediated terminal maturation of a murine dendritic cell line. *T. Kitajima, K. Ariizumi, P.R. Bergstresser, and A. Takashima*.....142

Chromogranin A processing and secretion. Specific role of endogenous and exogenous prohormone convertases in the regulated secretory pathway. *N.L. Eskeland, A. Zhou, T.Q. Dinh, H. Wu, R.J. Parmer, R.E. Mains, and D.T. O'Connor*.....148

Atrial natriuretic peptide inhibits mineralocorticoid receptor function in rat colonic surface cells. *G. Schulman, R. Lindemeyer, A. Barman, S. Karnik, and C.P. Bastl*.....157

Myofibrillar calcium sensitivity of isometric tension is increased in human dilated cardiomyopathies. Role of altered β-adrenergically mediated protein phosphorylation. *M.R. Wolff, S.H. Buck, S.W. Stoker, M.L. Greaser, and R.M. Mentzer*.....167

The effect of a subnormal vitamin B-6 status on homocysteine metabolism. *J.B. Ubbink, A. van der Merwe, R. Delport, R.H. Allen, S.P. Stabler, R. Riezler, and W.J.H. Vermaak*.....177

Evidence that the fibrinogen binding domain of Apo(a) is outside the lysine binding site of kringle IV-10. A study involving naturally occurring lysine binding defective lipoprotein(a) phenotypes. *O. Klezovitch, C. Edelstein, and A.M. Scanu*.....185

Efficacy of treatment with the iron (III) complex of diethylenetriamine pentaacetic acid in mice and primates inoculated with live lethal dose 100 *Escherichia coli*. *L. Molina, S. Studenberg, G. Wolberg, W. Kazmierski, J. Wilson, A. Tadepalli, A.C. Chang, S. Kosanke, and L. Hinshaw*.....192

Competency in mismatch repair prohibits clonal expansion of cancer cells treated with *N*-methyl-*N*'-nitro-*N*-nitrosoguanidine. *J.M. Carethers, M.T. Hawn, D.P. Chauhan, M.C. Luce, G. Marra, M. Koi, and C.R. Boland*.....199

Ceruloplasmin gene expression in the murine central nervous system. *L.W.J. Klomp, Z.S. Farhangrazi, L.L. Dugan, and J.D. Gitlin*.....207

Genetically selected cardiomyocytes from differentiating embryonic stem cells form stable intracardiac grafts. *M.G. Klug, M.H. Soonpaa, G.Y. Koh, and L.J. Field*.....216

Regulation of cellular proliferation and intimal formation following balloon injury in atherosclerotic rabbit arteries. *R.D. Simari, H. San, M. Rekhter, T. Ohno, D. Gordon, G. J. Nabel, and E.G. Nabel*.....225

Rapid Publications

Neuronal constitutive nitric oxide synthase is involved in murine enteric inhibitory neurotransmission. *H. Mashimo, X.D. He, P.L. Huang, M.C. Fishman, and R.K. Goyal*.....8

Proadrenomedullin NH_2-terminal 20 peptide inhibits the voltage-gated Ca^{2+} channel current through a pertussis toxin-sensitive G protein in rat pheochromocytoma-derived PC 12 cells. *K. Takano, N. Yamashita, and T. Fujita*.....14

Adenosine modulates vasomotor tone in outer medullary descending vasa recta of the rat. *E.P. Silldorff, M.S. Kreisberg, and T.L. Pallone*.....18

Vascular dysfunction in monkeys with diet-induced hyperhomocyst(e)inemia. *S.R. Lentz, C.G. Sobey, D.J. Piegors, M.Y. Bhopatkar, F.M. Faraci, M.R. Malinow, and D.D. Heistad*.....24

Increased IL-6 production by cells isolated from the fibrous bone dysplasia tissues in patients with McCune-Albright syndrome. *T. Yamamoto, K. Ozono, S. Kasayama, K. Yoh, K. Hiroshima, M. Takagi, S. Matsumoto, T. Michigami, K. Yamaoka, T. Kishimoto, and S. Okada*.....30

Effects of 17β-estradiol on cytokine-induced endothelial cell adhesion molecule expression. *T. Caulin-Glaser, C.A. Watson, R. Pardi, and J.R. Bender*.....36

Acute regulation by insulin of phosphatidylinositol-3-kinase, rad, glut 4 and lipoprotein lipase mRNA levels in human muscle. *M. Laville, D. Auboeuf, Y. Khalfallah, N. Vega, J.P. Riou, and H. Vidal*.....43

Author Index.....237

Correction.....239

Contents

The Journal of Clinical Investigation

July 15, 1996, Volume 98, Number 2

Editorials

The third beta is not the charm. *R.A. Bond and R.J. Lefkowitz* 241

Mammalian type 2 deiodinase sequences: finally, the end of the beginning. *P.R. Larsen* 242

Rapid Publications

^{1}H-NMR detectable fatty acyl chain unsaturation in excised leiomyosarcoma correlate with grade and mitotic activity. *S. Singer, M. Sivaraja, K. Souza, K. Millis, and J.M. Corson* 244

The expression of *ob* gene is not acutely regulated by insulin and fasting in human abdominal subcutaneous adipose tissue. *H. Vidal, D. Auboeuf, P. De Vos, B. Staels, J.P. Riou, J. Auwerx, and M. Laville* 251

Association and cosegregation of stroke with impaired endothelium-dependent vasorelaxation in stroke prone, spontaneously hypertensive rats. *M. Volpe, G. Iaccarino, C. Vecchione, D. Rizzoni, R. Russo, S. Rubattu, G. Condorelli, U. Ganten, D. Ganten, B. Trimarco, and K. Lindpaintner* 256

Suppression of mesangial proliferative glomerulonephritis development in rats by inhibitors of cAMP phosphodiesterase isozymes types III and IV. *Y. Tsuboi, S.J. Shankland, J.P. Grande, H.J. Walker, R.J. Johnson, and T.P. Dousa* 262

Therapeutic effect of the anti-Fas antibody on arthritis in HTLV-I *tax* transgenic mice. *K. Fujisawa, H. Asahara, K. Okamoto, H. Aono, T. Hasunuma, T. Kobata, Y. Iwakura, S. Yonehara, T. Sumida, and K. Nishioka* 271

Regular Articles

Clonal T cell responses in tumor infiltrating lymphocytes from both regressive and progressive regions of primary human malignant melanoma. *P. thor Straten, J.C. Becker, T. Seremet, E.B. Bröcker, and J. Zeuthen* 279

Defective cystathionine β-synthase regulation by S-adenosylmethionine in a partially pyridoxine responsive homocystinuria patient. *L.A.J. Kluijtmans, G.H.J. Boers, E.M.B. Stevens, W.O. Renier, J.P. Kraus, F.J.M. Trijbels, L.P.W.J. van den Heuvel, and H.J. Blom* 285

IgM-producing chronic lymphocytic leukemia cells undergo immunoglobulin isotype-switching without acquiring somatic mutations. *D.G. Efremov, M. Ivanovski, F.D. Batista, G. Pozzato, and O.R. Burrone* 290

Viral infection induces dependence of neuronal M_2 muscarinic receptors on cyclooxygenase in guinea pig lung. *R.M. Kahn, O.A. Okanlami, D.B. Jacoby, and A.D. Fryer* 299

Interactions between insulin-like growth factor-I (IGF-I) and the renin-angiotensin system in follicular growth and ovulation. *Y. Yoshimura, N. Aoki, K. Sueoka, T. Miyazaki, N. Kuji, M. Tanaka, and T. Kobayashi* 308

Adenoviral-mediated transfer of the human endothelial nitric oxide synthase gene reduces acute hypoxic pulmonary vasoconstriction in rats. *S.P. Janssens, K.D. Bloch, Z. Nong, R.D. Gerard, P. Zoldhelyi, and D. Collen* 317

Renal expression of tissue factor pathway inhibitor and evidence for a role in crescentic glomerulonephritis in rabbits. *J.H. Erlich, J. Apostolopoulos, T.-C. Wun, K.K. Kretzmer, S.R. Holdsworth, and P.G. Tipping* 325

Inflammatory and hyperproliferative skin disease in mice that express elevated levels of the IL-1 receptor (type I) on epidermal keratinocytes. Evidence that IL-1–inducible secondary cytokines produced by keratinocytes in vivo can cause skin disease. *R.W. Groves, T. Rauschmayr, K. Nakamura, S. Sarkar, I.R. Williams, and T.S. Kupper* 336

Mitochondrial complex I deficiency leads to increased production of superoxide radicals and induction of superoxide dismutase. *S. Pitkänen and B.H. Robinson* 345

Mutations in exon 3 of the glycogen debranching enzyme gene are associated with glycogen storage disease type III that is differentially expressed in liver and muscle. *J. Shen, Y. Bao, H.-M. Liu, P. Lee, J.V. Leonard, and Y.-T. Chen* 352

An intronic mutation in a lariat branchpoint sequence is a direct cause of an inherited human disorder (fish-eye disease). *J.A. Kuivenhoven, H. Wiebusch, P.H. Pritchard, H. Funke, R. Benne, G. Assmann, and J.J.P. Kastelein* 358

Liver cirrhosis induces renal and liver phospholipase A_2 activity in rats. *B.S. Vishwanath, F.J. Frey, G. Escher, J. Reichen, and B.M. Frey* 365

Polymorphisms at the 5′-end of the apolipoprotein AI gene and severity of coronary artery disease. *X.L. Wang, S.-X. Liu, R.M. McCredie, and D.E.L. Wilcken* 372

Contributions of gluconeogenesis to glucose production in the fasted state. *B.R. Landau, J. Wahren, V. Chandramouli, W.C. Schumann, K. Ekberg, and S.C. Kalhan* 378

Vascular incorporation of α-Tocopherol prevents endothelial dysfunction due to oxidized LDL by inhibiting protein kinase C stimulation. *J.F. Keaney, Jr., Y. Guo, D. Cunningham, G.T. Shwaery, A. Xu, and J.A. Vita* 386

Studies of renal injury. II. Activation of the glucose transporter 1 (GLUT1) gene and glycolysis in LLC-PK1 cells under Ca^{2+} stress. *J.H. Dominguez, B. Song, S. Liu-Chen, M. Qulali, R. Howard, C.H. Lee, and J. McAteer* 395

Cloning of the mammalian type II iodothyronine deiodinase. A selenoprotein differentially expressed and regulated in human and rat brain and other tissues. *W. Croteau, J.C. Davey, V.A. Galton, and D.L. St. Germain* 405

Chronic blockade of AT2-subtype receptors prevents the effect of angiotensin II on the rat vascular structure. *B.I. Levy, J. Benessiano, D. Henrion, L. Caputo, C. Heymes, M. Duriez, P. Poitevin, and J.L. Samuel* 418

Suppression of p53 activity and $p21^{WAF1/CIP1}$ expression by vascular cell integrin αvβ3 during angiogenesis. *S. Strömblad, J.C. Becker, M. Yebra, P.C. Brooks, and D.A. Cheresh* 426

The role of vascular injury and hemodynamics in rat pulmonary artery remodeling. *Y. Tanaka, D.P. Schuster, E.C. Davis, G.A. Patterson, and M.D. Botney* 434

Sequence-independent inhibition of in vitro vascular smooth muscle cell proliferation, migration, and in vivo neointimal formation by phosphorothioate oligodeoxynucleotides. *W. Wang, H.J. Chen, A. Schwartz, P.J. Cannon, C.A. Stein, and L.E. Rabbani* 443

The PAX2 transcription factor is expressed in cystic and hyperproliferative dysplastic epithelia in human kidney malformations. *P.J.D. Winyard, R.A. Risdon, V.R. Sams, G.R. Dressler, and A.S. Woolf* 451

Role of Ca^{2+} in the action of adrenocorticotropin in cultured human adrenal glomerulosa cells. *N. Gallo-Payet, E. Grazzini, M. Côté, L. Chouinard, A. Chorvátová, L. Bilodeau, M.-D. Payet, and G. Guillon* 460

Regulation of human heart contractility by essential myosin light chain isoforms. *M. Morano, U. Zacharzowski, M. Maier, P.E. Lange, V. Alexi-Meskishvili, H. Haase, and I. Morano* 467

Transcriptional activation of RACTK1 K^+ channel gene by apical alkalization in renal cortical collecting duct cells. *M. Ikeda, M. Murata, T. Miyoshi, K. Tamba, S. Muto, M. Imai, and M. Suzuki* 474

Vascular endothelial growth factor is produced by peritoneal fluid macrophages in endometriosis and is regulated by ovarian steroids. *J. McLaren, A. Prentice, D.S. Charnock-Jones, S.A. Millican, K.H. Müller, A.M. Sharkey, and S.K. Smith* 482

Downregulation of vascular endothelial growth factor receptors by tumor necrosis factor-α in cultured human vascular endothelial cells. *C. Patterson, M.A. Perrella, W.O. Endege, M. Yoshizumi, M.-E. Lee, and E. Haber* 490

Arylsulfatase B activities and glycosaminoglycan levels in retrovirally transduced mucopolysaccharidosis type VI cells. Prospects for gene therapy. *C. Fillat, C.M. Simonaro, P.L. Yeyati, J.L. Abkowitz, M.E. Haskins, and E.H. Schuchman* 497

Requirement and role of C5a in acute lung inflammatory injury in rats. *M.S. Mulligan, E. Schmid, B. Beck-Schimmer, G.O. Till, H.P. Friedl, R.B. Brauer, T.E. Hugli, M. Miyasaka, R.L. Warner, K.J. Johnson, and P.A. Ward* 503

Activation of endogenous ΔF508 cystic fibrosis transmembrane conductance regulator by phosphodiesterase inhibition. *T.J. Kelley, L. Al-Nakkash, C.U. Cotton, and M.L. Drumm* 513

Bcr/Abl expression stimulates integrin function in hematopoietic cell lines. *G. Bazzoni, N. Carlesso, J.D. Griffin, and M.E. Hemler* 521

Neutrophil infiltration, glial reaction, and neurological disease in transgenic mice expressing the chemokine N51/KC in oligodendrocytes. *M. Tani, M.E. Fuentes, J.W. Peterson, B.D. Trapp, S.K. Durham, J.K. Loy, R. Bravo, R.M. Ransohoff, and S.A. Lira* 529

Glucose- and GTP-dependent stimulation of the carboxyl methylation of CDC42 in rodent and human pancreatic islets and pure β cells. Evidence for an essential role of GTP-binding proteins in nutrient-induced insulin secretion. *A. Kowluru, S.E. Seavey, G. Li, R.L. Sorenson, A.J. Weinhaus, R. Nesher, M.E. Rabaglia, J. Vadakekalam, and S.A. Metz* 540

Functional β_3-adrenoceptor in the human heart. *C. Gauthier, G. Tavernier, F. Charpentier, D. Langin, and H. Le Marec* 556

Preferential influx and decreased fractional loss of lipoprotein(a) in atherosclerotic compared with nonlesioned rabbit aorta. *L.B. Nielsen, S. Stender, M. Jauhiainen, and B.G. Nordestgaard* 563

Infection of human intestinal epithelial cells with invasive bacteria upregulates apical intercellular adhesion molecule-1 (ICAM-1) expression and neutrophil adhesion. *G.T.-J. Huang, L. Eckmann, T.C. Savidge, and M.F. Kagnoff* 572

Differential sympathetic neural control of oxygenation in resting and exercising human skeletal muscle. *J. Hansen, G.D. Thomas, S.A. Harris, W.J. Parsons, and R.G. Victor* 584

Author Index 597

Contents

The Journal of Clinical Investigation
August 1, 1996, Volume 98, Number 3

Editorial

The good side of side effects: Captopril blocks vessel and tumor growth. *H.K. Kleinman and M. Lourdes de Ponce* 599

Perspectives

Conditional gene targeting. *K. Rajewsky, H. Gu, R. Kühn, U.A.K. Betz, W. Müller, J. Roes, and F. Schwenk* 600

Rapid Publications

IL-4 and IL-13 activate the JAK2 tyrosine kinase and Stat6 in cultured human vascular endothelial cells through a common pathway that does not involve the γ_c chain. *R.L. Palmer-Crocker, C.C.W. Hughes, and J.S. Pober* 604

Molecular basis of the human dihydropyrimidine dehydrogenase deficiency and 5-fluorouracil toxicity. *X. Wei, H.L. McLeod, J. McMurrough, F.J. Gonzalez, and P. Fernandez-Salguero* 610

Activation of antigen-induced lymphocyte proliferation by interleukin-15 without the mitogenic effect of interleukin-2 that may induce human immunodeficiency virus–1 expression. *A.H. Patki, M.E. Quiñones-Mateu, D. Dorazio, B. Yen-Lieberman, W.H. Boom, E.K. Thomas, and M.M. Lederman* 616

Identification of an immunodominant mouse minor histocompatibility antigen (MiHA). T cell response to a single dominant MiHA causes graft-versus-host disease. *C. Perreault, J. Jutras, D.C. Roy, J.G. Filep, and S. Brochu* 622

Diverse effects of Glut 4 ablation on glucose uptake and glycogen synthesis in red and white skeletal muscle. *A.E. Stenbit, R. Burcelin, E.B. Katz, T.-S. Tsao, N. Gautier, M.J. Charron, and Y. Le Marchand-Brustel* 629

Expression of the Na-K-2Cl cotransporter by macula densa and thick ascending limb cells of rat and rabbit nephron. *N. Obermüller, S. Kunchaparty, D.H. Ellison, and S. Bachmann* 635

Regular Articles

Rabbit sucrase-isomaltase contains a functional intestinal receptor for *Clostridium difficile* Toxin A. *C. Pothoulakis, R.J. Gilbert, C. Cladaras, I. Castagliuolo, G. Semenza, Y. Hitti, J.S. Montcrief, J. Linevsky, C.P. Kelly, S. Nikulasson, H.P. Desai, T.D. Wilkins, and J.T. LaMont* 641

Paradoxical inhibition of cardiac lipid peroxidation in cancer patients treated with doxorubicin. Pharmacologic and molecular reappraisal of anthracycline cardiotoxicity. *G. Minotti, C. Mancuso, A. Frustaci, A. Mordente, S.A. Santini, A.M. Calafiore, G. Liberi, and N. Gentiloni* 650

Expression of Type II cGMP-dependent protein kinase in rat kidney is regulated by dehydration and correlated with renin gene expression. *S. Gambaryan, C. Häusler, T. Markert, D. Pöhler, T. Jarchau, U. Walter, W. Haase, A. Kurtz, and S.M. Lohmann* 662

Captopril inhibits angiogenesis and slows the growth of experimental tumors in rats. *O.V. Volpert, W.F. Ward, M.W. Lingen, L. Chesler, D.B. Solt, M.D. Johnson, A. Molteni, P.J. Polverini, and N.P. Bouck* 671

Role of cortisol in the pathogenesis of deficient counterregulation after antecedent hypoglycemia in normal humans. *S.N. Davis, C. Shavers, F. Costa, and R. Mosqueda-Garcia* 680

Phenylalanine kinetics in human adipose tissue. *S.W. Coppack, M. Persson, and J.M. Miles* 692

Bisphosphonates inhibit the adhesion of breast cancer cells to bone matrices in vitro. *G. van der Pluijm, H. Vloedgraven, E. van Beek, L. van der Wee-Pals, C. Löwik, and S. Papapoulos* 698

Different clinical behaviors of acute hepatitis C virus infection are associated with different vigor of the anti-viral cell-mediated immune response. *G. Missale, R. Bertoni, V. Lamonaca, A. Valli, M. Massari, C. Mori, M.G. Rumi, M. Houghton, F. Fiaccadori, and C. Ferrari* 706

IL-12 in conjunction with dendritic cells enhances antiviral CD8+ CTL responses in vitro. *N. Bhardwaj, R.A. Seder, A. Reddy, and M.V. Feldman* 715

Expression of the mouse Na-K-2Cl cotransporter, mBSC2, in the terminal inner medullary collecting duct, the glomerular and extraglomerular mesangium, and the glomerular afferent arteriole. *M.R. Kaplan, M.D. Plotkin, D. Brown, S.C. Hebert, and E. Delpire* 723

Pathogenic and protective correlates of T cell proliferation in AIDS. *R.D. Schrier, C.A. Wiley, C. Spina, J.A. McCutchan, I. Grant, and the HNRC Group* 731

Causal linkage between insulin suppression of lipolysis and suppression of liver glucose output in dogs. *K. Rebrin, G.M. Steil, S.D. Mittelman, and R.N. Bergman* 741

Hemodialysis increases apparent diffusion coefficient of brain water in nephrectomized rats measured by isotropic diffusion-weighted magnetic resonance imaging. *J.-P. Galons, T. Trouard, A.F. Gmitro, and Y.-H.H. Lien* 750

The effects of alpha tocopherol supplementation on monocyte function. Decreased lipid oxidation, interleukin 1β secretion, and monocyte adhesion to endothelium. *S. Devaraj, D. Li, and I. Jialal* 756

Diminished post-rest potentiation of contractile force in human dilated cardiomyopathy: Functional evidence for alterations in intracellular Ca^{2+} handling. *B. Pieske, M. Sütterlin, S. Schmidt-Schweda, K. Minami, M. Meyer, M. Olschewski, C. Holubarsch, H. Just, and G. Hasenfuss* 764

Estradiol-dependent uterine leiomyomas in transgenic mice. *B. Romagnolo, T. Molina, G. Leroy, C. Blin, A. Porteux, M. Thomasset, A. Vandewalle, A. Kahn, and C. Perret* 777

Endothelial cell apoptosis is a primary pathogenetic event underlying skin lesions in avian and human scleroderma. *R. Sgonc, M.S. Gruschwitz, H. Dietrich, H. Recheis, M.E. Gershwin, and G. Wick* 785

No tolerance to peripheral morphine analgesia in presence of opioid expression in inflamed synovia. *C. Stein, M. Pflüger, A. Yassouridis, J. Hoelzl, K. Lehrberger, C. Welte, and A.H.S. Hassan* 793

Cloning of monoclonal autoantibodies to epitopes of oxidized lipoproteins from apolipoprotein E-deficient mice. Demonstration of epitopes of oxidized low density lipoprotein in human plasma. *W. Palinski, S. Hörkkö, E. Miller, U.P. Steinbrecher, H.C. Powell, L.K. Curtiss, and J.L. Witztum* 800

Antiphospholipid antibodies are directed against epitopes of oxidized phospholipids. Recognition of cardiolipin by monoclonal antibodies to epitopes of oxidized low density lipoprotein. *S. Hörkkö, E. Miller, E. Dudl, P. Reaven, L.K. Curtiss, N.J. Zvaifler, R. Terkeltaub, S.S. Pierangeli, D.W. Branch, W. Palinski, and J.L. Witztum* 815

Increased expression of CD40 ligand on systemic lupus erythematosus lymphocytes. *M. Koshy, D. Berger, and M.K. Crow* 826

Increased guanylate cyclase activity is associated with an increase in cyclic guanosine 3′,5′-monophosphate in left ventricular hypertrophy. *J.D. Sadoff, P.M. Scholz, J. Tse, and H.R. Weiss* 838

Combined hyperlipidemia in transgenic mice overexpressing human apolipoprotein CI. *N.S. Shachter, T. Ebara, R. Ramakrishnan, G. Steiner, J.L. Breslow, H.N. Ginsberg, and J.D. Smith* 846

Quantitative trait loci influencing cholesterol and phospholipid phenotypes map to chromosomes that contain genes regulating blood pressure in the spontaneously hypertensive rat. *A. Bottger, H.A. van Lith, V. Kren, D. Krenová, V. Bílá, J. Vorlícek, V. Zídek, A. Musilová, M. Zdobinská, J.-M. Wang, B.F.M. van Zutphen, T.W. Kurtz, and M. Pravenec* 856

Inhibition of platelet-mediated, tissue factor–induced thrombin generation by the mouse/human chimeric 7E3 antibody. Potential implications for the effect of c7E3 Fab treatment on acute thrombosis and "clinical restenosis." *J.C. Reverter, S. Béguin, H. Kessels, R. Kumar, H.C. Hemker, and B.S. Coller* 863

Author Index 875

Correction 877

Correction 879

Contents

The Journal of Clinical Investigation

August 15, 1996, Volume 98, Number 4

Editorial

Sex and the single DAX1: Too little is bad, but can we have too much? *E.R.B. McCabe* 881

Rapid Publications

The Gln-Arg191 polymorphism of the human paraoxonase gene (HUMPONA) is not associated with the risk of coronary artery disease in Finns. *M. Antikainen, S. Murtomäki, M. Syvänne, R. Pahlman, E. Tahvanainen, M. Jauhiainen, M.H. Frick, and C. Ehnholm* 883

Inhibition of cultured cell growth by vascular endothelial cadherin (cadherin-5/VE-cadherin). *L. Caveda, I. Martin-Padura, P. Navarro, F. Breviario, M. Corada, D. Gulino, M.G. Lampugnani, and E. Dejana* 886

Insulin-stimulated production of nitric oxide is inhibited by Wortmannin. Direct measurement in vascular endothelial cells. *G. Zeng and M.J. Quon* 894

Effect of age on kinetics of nitric oxide release in rat aorta and pulmonary artery. *M.R. Tschudi, M. Barton, N.A. Bersinger, P. Moreau, F. Cosentino, G. Noll, T. Malinski, and T.F. Lüscher* 899

Regular Articles

Syntaxin-4 is localized to the apical plasma membrane of rat renal collecting duct cells: possible role in Aquaporin-2 trafficking. *B. Mandon, C.-L. Chou, S. Nielsen, and M.A. Knepper* 906

A lung-specific neo-antigen elicits specific $CD8^+$ T cell tolerance with preserved $CD4^+$ T cell reactivity. Implications for immune-mediated lung disease. *R.I. Enelow, M.H. Stoler, A. Srikiatkhachorn, C. Kerlakian, S. Agersborg, J.A. Whitsett, and T.J. Braciale* 914

Hepatic iron deprivation prevents spontaneous development of fulminant hepatitis and liver cancer in Long-Evans Cinnamon rats. *J. Kato, M. Kobune, Y. Kohgo, N. Sugawara, H. Hisai, T. Nakamura, S. Sakamaki, N. Sawada, and Y. Niitsu* 923

Overexpression of glutamine:fructose-6-phosphate amidotransferase in transgenic mice leads to insulin resistance. *L.F. Hebert, Jr., M.C. Daniels, J. Zhou, E.D. Crook, R.L. Turner, S.T. Simmons, J.L. Neidigh, J.-S. Zhu, A.D. Baron, and D.A. McClain* 930

1-*O*-Octadecyl-2-*O*-methyl-glycerophosphocholine inhibits the transduction of growth signals via the MAPK cascade in cultured MCF-7 cells. *X. Zhou, X. Lu, C. Richard, W. Xiong, D.W. Litchfield, R. Bittman, and G. Arthur* 937

Normal luminal bacteria, especially Bacteroides species, mediate chronic colitis, gastritis, and arthritis in HLA-B27/human β_2 microglobulin transgenic rats. *H.C. Rath, H.H. Herfarth, J.S. Ikeda, W.B. Grenther, T.E. Hamm, Jr., E. Balish, J.D. Taurog, R.E. Hammer, K.H. Wilson, and R.B. Sartor* 945

Inhibition of submandibular and lacrimal gland infiltration in nonobese diabetic mice by transgenic expression of soluble TNF-receptor p55. *R.E. Hunger, S. Müller, J.A. Laissue, M.W. Hess, C. Carnaud, I. Garcia, and C. Mueller* 954

Type 2 iodothyronine deiodinase is highly expressed in human thyroid. *D. Salvatore, H. Tu, J.W. Harney, and P.R. Larsen* 962

Novel analog of atrial natriuretic peptide selective for receptor-A produces increased diuresis and natriuresis in rats. *H. Jin, B. Li, B. Cunningham, J. Tom, R. Yang, P. Sehl, G.R. Thomas, A. Ko, D. Oare, and D.G. Lowe* 969

The cytosolic subunit $p67^{phox}$ contains an NADPH-binding site that participates in catalysis by the leukocyte NADPH oxidase. *R.M. Smith, J.A. Connor, L.M. Chen, and B.M. Babior* 977

Regulation of scavenger receptor, class B, type I, a high density lipoprotein receptor, in liver and steroidogenic tissues of the rat. *K.T. Landschulz, R.K. Pathak, A. Rigotti, M. Krieger, and H.H. Hobbs* 984

The human lumbar intervertebral disc. Evidence for changes in the biosynthesis and denaturation of the extracellular matrix with growth, maturation, ageing, and degeneration. *J. Antoniou, T. Steffen, F. Nelson, N. Winterbottom, A.P. Hollander, R.A. Poole, M. Aebi, and M. Alini* 996

Thiazolidinediones repress *ob* gene expression in rodents via activation of peroxisome proliferator–activated receptor γ. *P. De Vos, A.-M. Lefebvre, S.G. Miller, M. Guerre-Millo, K. Wong, R. Saladin, L.G. Hamann, B. Staels, M.R. Briggs, and J. Auwerx* 1004

Enterocolitis and colon cancer in interleukin-10–deficient mice are associated with aberrant cytokine production and $CD4^+$ TH1-like responses. *D.J. Berg, N. Davidson, R. Kühn, W. Müller, S. Menon, G. Holland, L. Thompson-Snipes, M.W. Leach, and D. Rennick* 1010

Demyelination of the brain is associated with methionine adenosyltransferase I/III deficiency. *M.E. Chamberlin, T. Ubagai, S.H. Mudd, W.G. Wilson, J.V. Leonard, and J.Y. Chou* 1021

Common missense mutation G1528C in long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency. Characterization and expression of the mutant protein, mutation analysis on genomic DNA and chromosomal localization of the mitochondrial trifunctional protein α subunit gene. *L. IJlst, J.P.N. Ruiter, J.M.N. Hoovers, M.E. Jakobs, and R.J.A. Wanders* 1028

Susceptibility to hepatotoxicity in transgenic mice that express a dominant-negative human keratin 18 mutant. *N.-O. Ku, S.A. Michie, R.M. Soetikno, E.Z. Resurreccion, R.L. Broome, R.G. Oshima, and M.B. Omary* 1034

Role of cysteine proteases and protease inhibitors in gastric mucosal damage induced by ethanol or ammonia in the rat. *L. Nagy, S. Kusstatscher, P.V. Hauschka, and S. Szabo* 1047

Adrenal hypoplasia congenita with hypogonadotropic hypogonadism. Evidence that DAX-1 mutations lead to combined hypothalamic and pituitary defects in gonadotropin production. *R.L. Habiby, P. Boepple, L. Nachtigall, P.M. Sluss, W.F. Crowley, Jr., and J.L. Jameson* 1055

Role of aldosterone in the remnant kidney model in the rat. *E.L. Greene, S. Kren, and T.H. Hostetter* 1063

Author Index 1069

Contents

The Journal of Clinical Investigation
September 1, 1996, Volume 98, Number 5

Editorials

Presidential address to the American Society for Clinical Investigation, Washington DC, May 4, 1996. Is there room left for academics in academic medicine? *J.L. Swain* 1071

Making sense out of antisense for the study of drug receptors. *M.C. Michel and P.A. Insel* 1074

Rapid Publications

Antisense technology reveals the α_{2A} adrenoceptor to be the subtype mediating the hypnotic response to the highly selective agonist, dexmedetomidine, in the locus coeruleus of the rat. *T. Mizobe, K. Maghsoudi, K. Sitwala, G. Tianzhi, J. Ou, and M. Maze* 1076

Neutrophil–neutrophil interactions under hydrodynamic shear stress involve L-selectin and PSGL-1. A mechanism that amplifies initial leukocyte accumulation on P-Selectin in vitro. *B. Walcheck, K.L. Moore, R.P. McEver, and T.K. Kishimoto* 1081

The receptor for advanced glycation end products (RAGE) is a central mediator of the interaction of AGE-$\beta_2$microglobulin with human mononuclear phagocytes via an oxidant-sensitive pathway. Implications for the pathogenesis of dialysis-related amyloidosis. *T. Miyata, O. Hori, J.H. Zhang, S.D. Yan, L. Ferran, Y. Iida, and A.M. Schmidt* 1088

Detection of monoclonal microsatellite alterations in atypical breast hyperplasia. *C.L. Rosenberg, A. de las Morenas, K. Huang, L.A. Cupples, D.V. Faller, and P.S. Larson* 1095

Identification of targets of leptin action in rat hypothalamus. *M.W. Schwartz, R.J. Seeley, L.A. Campfield, P. Burn, and D.G. Baskin* 1101

Fas ligand mutation in a patient with systemic lupus erythematosus and lymphoproliferative disease. *J. Wu, J. Wilson, J. He, L. Xiang, P.H. Schur, and J.D. Mountz* 1107

Benign familial hematuria due to mutation of the type IV collagen α4 gene. *H.H. Lemmink, W.N. Nillesen, T. Mochizuki, C.H. Schröder, H.G. Brunner, B.A. van Oost, L.A.H. Monnens, and H.J.M. Smeets* 1114

Activation of human B cells by phosphorothioate oligodeoxynucleotides. *H. Liang, Y. Nishioka, C.F. Reich, D.S. Pisetsky, and P.E. Lipsky* 1119

Survival motor neuron gene deletion in the arthrogryposis multiplex congenita–spinal muscular atrophy association. *L. Bürglen, J. Amiel, L. Viollet, S. Lefebvre, P. Burlet, O. Clermont, V. Raclin, P. Landrieu, A. Verloes, A. Munnich, and J. Melki* 1130

Regular Articles

Integrin-dependent induction of functional urokinase receptors in primary T lymphocytes. *E. Bianchi, E. Ferrero, F. Fazioli, F. Mangili, J. Wang, J.R. Bender, F. Blasi, and R. Pardi* 1133

Cloning, in vitro expression, and tissue distribution of a human prostaglandin transporter cDNA (hPGT). *R. Lu, N. Kanai, Y. Bao, and V.L. Schuster* 1142

Indirect recognition of donor HLA-DR peptides in organ allograft rejection. *Z. Liu, A.I. Colovai, S. Tugulea, E.F. Reed, P.E. Fisher, D. Mancini, E.A. Rose, R. Cortesini, R.E. Michler, and N. Suciu-Foca* 1150

Dissection of antigenic and irritative effects of epicutaneously applied haptens in mice. Evidence that not the antigenic component but nonspecific proinflammatory effects of haptens determine the concentration-dependent elicitation of allergic contact dermatitis. *S. Grabbe, M. Steinert, K. Mahnke, A. Schwarz, T.A. Luger, and T. Schwarz* 1158

Lonidamine induces apoptosis in drug-resistant cells independently of the *p53* gene. *D. Del Bufalo, A. Biroccio, S. Soddu, N. Laudonio, C. D'Angelo, A. Sacchi, and G. Zupi* 1165

Cross-linking of the dermo–epidermal junction of skin regenerating from keratinocyte autografts. Anchoring fibrils are a target for tissue transglutaminase. *M. Raghunath, B. Höpfner, D. Aeschlimann, U. Lüthi, M. Meuli, S. Altermatt, R. Gobet, L. Bruckner-Tuderman, and B. Steinmann* 1174

Long-lasting memory T cell responses following self-limited acute Hepatitis B. *A. Penna, M. Artini, A. Cavalli, M. Levrero, A. Bertoletti, M. Pilli, F.V. Chisari, B. Rehermann, G. Del Prete, F. Fiaccadori, and C. Ferrari* 1185

Insulin sensitivity index, acute insulin response, and glucose effectiveness in a population-based sample of 380 young healthy Caucasians. Analysis of the impact of gender, body fat, physical fitness, and life-style factors. *J.O. Clausen, K. Borch-Johnsen, H. Ibsen, R.N. Bergman, P. Hougaard, K. Winther, and O. Pedersen* 1195

Modulation of gene expression in subjects at risk for colorectal cancer by the chemopreventive dithiolethione oltipraz. *P.J. O'Dwyer, C.E. Szarka, K.-S. Yao, T.C. Haibherr, G.R. Pfeiffer, F. Green, J.M. Gallo, J. Brennan, H. Frucht, E.B. Goosenberg, T.C. Hamilton, S. Litwin, A.M. Balshem, P.F. Engstrom, and M.L. Clapper* 1210

Interferon-γ-mediated activation of STAT1α regulates growth factor–induced mitogenesis. *F. Marra, G.G. Choudhury, and H.E. Abboud* 1218

Glycogen synthase activity is reduced in cultured skeletal muscle cells of non–insulin-dependent diabetes mellitus subjects. Biochemical and molecular mechanisms. *R.R. Henry, T.P. Ciaraldi, L. Abrams-Carter, S. Mudaliar, K.S. Park, and S.E. Nikoulina* 1231

Chronic ethanol administration to rats decreases receptor-operated mobilization of intracellular ionic calcium in cultured hepatocytes and inhibits 1,4,5-inositol trisphosphate production. Relevance to impaired liver regeneration. *B.-H. Zhang, B.P. Horsfield and G.C. Farrell* 1237

Linomide prevents the lethal effect of anti-fas antibody and reduces fas-mediated ceramide production in mouse hepatocytes. *C. Redondo, I. Flores, A. Gonzalez, S. Nagata, A.C. Carrera, I. Merida, and C. Martinez-A* 1245

The protective role of manganese superoxide dismutase against adriamycin-induced acute cardiac toxicity in transgenic mice. *H.-C. Yen, T.D. Oberley, S. Vichitbandha, Y.-S. Ho, and D.K. St. Clair* 1253

Induction of monocyte expression of tumor necrosis factor α by the 30-kD α antigen of *Mycobacterium tuberculosis* and synergism with fibronectin. *H. Aung, Z. Toossi, J.J. Wisnieski, R.S. Wallis, L.A. Culp, N.B. Phillips, M. Phillips, L.E. Averill, T.M. Daniel, and J.J. Ellner* 1261

Author Index 1269

Correction 1271

Contents

The Journal of Clinical Investigation
September 15, 1996, Volume 98, Number 6

Editorials

Islet xenotransplantation: How sweet it is. *J.L. Platt* 1273

An intrinsic cardiac adrenergic system can regulate cardiac development and function. *F.M. Abboud* 1275

Rapid Publications

Evidence of free and bound leptin in human circulation. Studies in lean and obese subjects and during short-term fasting. *M.K. Sinha, I. Opentanova, J.P. Ohannesian, J.W. Kolaczynski, M.L. Heiman, J. Hale, G.W. Becker, R.R. Bowsher, T.W. Stephens, and J.F. Caro* 1277

Human neutrophils employ chlorine gas as an oxidant during phagocytosis. *S.L. Hazen, F.F. Hsu, D.M. Mueller, J.R. Crowley, and J.W. Heinecke* 1283

HIV infection–induced posttranslational modification of T cell signaling molecules associated with disease progression. *I. Štefanová, M.W Saville, C. Peters, F.R. Cleghorn, D. Schwartz, D.J. Venzon, K.J. Weinhold, N. Jack, C. Bartholomew, W.A. Blattner, R. Yarchoan, J.B. Bolen, and I.D. Horak* 1290

An intrinsic adrenergic system in mammalian heart. *M.-H. Huang, D.S. Friend, M.E. Sunday, K. Singh, K. Haley, K.F. Austen, R.A. Kelly, and T.W. Smith* 1298

A ΔF508 mutation in mouse cystic fibrosis transmembrane conductance regulator results in a temperature-sensitive processing defect in vivo. *P.J. French, J.H. van Doorninck, R.H.P.C. Peters, E. Verbeek, N.A. Ameen, C.R. Marino, H.R. de Jonge, J. Bijman, and B.J. Scholte* 1304

Regular Articles

Overexpression of human aspartyl(asparaginyl)β-hydroxylase in hepatocellular carcinoma and cholangiocarcinoma. *L. Lavaissiere, S. Jia, M. Nishiyama, S. de la Monte, A.M. Stern, J.R. Wands, and P.A. Friedman* 1313

Oral insulin treatment suppresses virus-induced antigen-specific destruction of β cells and prevents autoimmune diabetes in transgenic mice. *M.G. von Herrath, T. Dyrberg, and M.B.A. Oldstone* 1324

RXRα deficiency confers genetic susceptibility for aortic sac, conotruncal, atrioventricular cushion, and ventricular muscle defects in mice. *P.J. Gruber, S.W. Kubalak, T. Pexieder, H.M. Sucov, R.M. Evans, and K.R. Chien* 1332

Selective expansion of specific T cell receptors in the inflamed colon of Crohn's disease. *B. Gulwani-Akolkar, P.N. Akolkar, A. Minassian, R. Pergolizzi, M. McKinley, G. Mullin, S. Fisher, and J. Silver* 1344

Gene mapping of familial autosomal dominant dilated cardiomyopathy to chromosome 10q21-23. *K.R. Bowles, R. Gajarski, P. Porter, V. Goytia, L. Bachinski, R. Roberts, R. Pignatelli, and J.A. Towbin* 1355

Mechanisms of postprandial protein accretion in human skeletal muscle. Insight from leucine and phenylalanine forearm kinetics. *P. Tessari, M. Zanetti, R. Barazzoni, M. Vettore, and F. Michielan* 1361

Heterogeneity and clinical significance of glomerular-binding antibodies in systemic lupus erythematosus. *J.B. Lefkowith, M. Kiehl, J. Rubenstein, R. Di Valerio, K. Bernstein, L. Kahl, R.L. Rubin, and M. Gourley* 1373

Endothelin antagonism in experimental hepatic fibrosis. Implications for endothelin in the pathogenesis of wound healing. *D.C. Rockey and J.J. Chung* 1381

Constitutive and inducible expression of SKALP/elafin provides anti-elastase defense in human epithelia. *R. Pfundt, F. van Ruissen, I.M.J.J. van Vlijmen-Willems, H.A.C. Alkemade, P.L.J.M. Zeeuwen, P.H. Jap, H. Dijkman, J. Fransen, H. Croes, P.E.J. van Erp, and J. Schalkwijk* 1389

Mechanism of dexamethasone suppression of brain tumor–associated vascular permeability in rats. Involvement of the glucocorticoid receptor and vascular permeability factor. *J.D. Heiss, E. Papavassiliou, M.J. Merrill, L. Nieman, J.J. Knightly, S. Walbridge, N.A. Edwards, and E.H. Oldfield* 1400

Molecular and functional evidence for in vitro cytokine enhancement of human and murine target cell sensitivity to glucocorticoids. TNF-α priming increases glucocorticoid inhibition of TNF-α–induced cytotoxicity/apoptosis. *M. Costas, T. Trapp, M.P. Pereda, J. Sauer, R. Rupprecht, V.E. Nahmod, J.M.H.M. Reul, F. Holsboer, and E. Arzt* 1409

Normalization of diabetes in spontaneously diabetic cynomologus monkeys by xenografts of microencapsulated porcine islets without immunosuppression. *Y. Sun, X. Ma, D. Zhou, I. Vacek, and A.M. Sun* 1417

A novel missense mutation in the amino-terminal domain of the human androgen receptor gene in a family with partial androgen insensitivity syndrome causes reduced efficiency of protein translation. *C.S. Choong, C.A. Quigley, F.S. French, and E.M. Wilson* 1423

Quantitative analysis of the peripheral blood cytotoxic T lymphocyte response in patients with chronic hepatitis C virus infection. *B. Rehermann, K.-M. Chang, J.G. McHutchison, R. Kokka, M. Houghton, and F.V. Chisari* 1432

Endogenous interleukin 6 production in multiple myeloma patients treated with chimeric monoclonal anti-IL6 antibodies indicates the existence of a positive feed–back loop. *H.C.T. van Zaanen, R.P. Koopmans, L.A. Aarden, H.J.A.M. Rensink, J.M.L. Stouthard, S.O. Warnaar, H.M. Lokhorst, and M.H.J. van Oers* 1441

Mobilferrin is an intermediate in iron transport between transferrin and hemoglobin in K562 cells. *M.E. Conrad, J.N. Umbreit, E.G. Moore, and D. Heiman* 1449

Rabbit aorta and human atherosclerotic lesions hydrolyze the sphingomyelin of retained low-density lipoprotein. Proposed role for arterial-wall sphingomyelinase in subendothelial retention and aggregation of atherogenic lipoproteins. *S.L. Schissel, J. Tweedie-Hardman, J.H. Rapp, G. Graham, K.J. Williams, and I. Tabas* 1455

Hydralazine prevents nitroglycerin tolerance by inhibiting activation of a membrane-bound NADH oxidase. A new action for an old drug. *T. Münzel, S. Kurz, S. Rajagopalan, M. Thoenes, W.R. Berrington, J.A. Thompson, B.A. Freeman, and D.G. Harrison* 1465

Antigenic targets in tienilic acid hepatitis. Both cytochrome P450 2C11 and 2C11-tienilic acid adducts are transported to the plasma membrane of rat hepatocytes and recognized by human sera. *M.-A. Robin, M. Maratrat, M. Le Roy, F.-P. Le Breton, E. Bonierbale, P. Dansette, F. Ballet, D. Mansuy, and D. Pessayre* 1471

Kidney, splanchnic, and leg protein turnover in humans: Insight from leucine and phenylalanine kinetics. *P. Tessari, G. Garibotto, S. Inchiostro, C. Robaudo, S. Saffioti, M. Vettore, M. Zanetti, R. Russo, and G. Deferrari* 1481

Coagulation factor Xa stimulates platelet-derived growth factor release and mitogenesis in cultured vascular smooth muscle cells of rat. *F.N. Ko, Y.C. Yang, S.C. Huang, and J.T. Ou* 1493

Author Index 1503

Contents

The Journal of Clinical Investigation

October 1, 1996, Volume 98, Number 7

Editorials

Cell adhesion in vascular biology: Series introduction. *M.H. Ginsberg, Z.M. Ruggeri, and A.P. Varki* 1505

Fatty livers and reduced adipose tissue. Who wants it? *P.A. Edwards* 1506

Molecular hemostatic variant enhances warfarin toxicity. *A.R. Thompson* 1508

Rapid Publications

Passive transfer of anti–laminin 5 antibodies induces subepidermal blisters in neonatal mice. *Z. Lazarova, C. Yee, T. Darling, R.A. Briggaman, and K.B. Yancey* 1509

A human non-XLA immunodeficiency disease characterized by blockage of B cell development at an early ProB Cell stage. *E. Meffre, F. LeDeist, G. de Saint-Basile, A. Deville, M. Fougereau, A. Fischer, and C. Schiff* 1519

Vasoactive intestinal peptide induces Sα/Sμ switch circular DNA in human B cells. *S. Fujieda, J.A. Waschek, K. Zhang, and A. Saxon* 1527

Antibodies against CD14 protect primates from endotoxin-induced shock. *D.J. Leturcq, A.M. Moriarty, G. Talbott, R.K. Winn, T.R. Martin, and R.J. Ulevitch* 1533

Soluble tumor necrosis factor receptor inhibits Interleukin 12 production by stimulated human adult microglial cells in vitro. *B. Becher, V. Dodelet, V. Fedorowicz, and J.P. Antel* 1539

Evidence for a causal role of parathyroid hormone–related protein in the pathogenesis of human breast cancer–mediated osteolysis. *T.A. Guise, J.J. Yin, S.D. Taylor, Y. Kumagai, M. Dallas, B.F. Boyce, T. Yoneda, and G.R. Mundy* 1544

Regular Articles

Induction of diaphragmatic nitric oxide synthase after endotoxin administration in rats. Role on diaphragmatic contractile dysfunction. *J. Boczkowski, S. Lanone, D. Ungureanu-Longrois, G. Danialou, T. Fournier, and M. Aubier with the technical assistance of P. Mechighel* 1550

Mitogen-activated protein kinase phosphatase-1 in rat arterial smooth muscle cell proliferation. *K. Lai, H. Wang, W.-S. Lee, M.K. Jain, M.-E. Lee, and E. Haber* 1560

Glucose promotes survival of rat pancreatic β cells by activating synthesis of proteins which suppress a constitutive apoptotic program. *A. Hoorens, M. Van de Casteele, G. Klöppel, and D. Pipeleers* 1568

Overproduction of cholesterol and fatty acids causes massive liver enlargement in transgenic mice expressing truncated SREBP-1a. *H. Shimano, J.D. Horton, R.E. Hammer, I. Shimomura, M.S. Brown, and J.L. Goldstein* 1575

An in vitro assay for detection of glomerular binding IgG autoantibodies in patients with systemic lupus erythematosus. *L. Budhai, K. Oh, and A. Davidson* 1585

Genetic control of T cell receptor BJ gene expression in peripheral lymphocytes of normal and rheumatoid arthritis monozygotic twins. *T. Nanki, H. Kohsaka, N. Mizushima, W.E.R. Ollier, D.A. Carson, and N. Miyasaka* 1594

Treatment of experimental encephalomyelitis with a novel chimeric fusion protein of myelin basic protein and proteolipid protein. *E.A. Elliott, H.I. McFarland, S.H. Nye, R. Cofiell, T.M. Wilson, J.A. Wilkins, S.P. Squinto, L.A. Matis, and J.P. Mueller* 1602

Major histocompatibility complex class I molecule expression is normal on peripheral blood lymphocytes from patients with insulin-dependent diabetes mellitus. *W. Hao, P. Gladstone, S. Engardt, C. Greenbaum, and J.P. Palmer* 1613

A mutation in the propeptide of factor IX leads to warfarin sensitivity by a novel mechanism. *K. Chu, S.-M. Wu, T. Stanley, D.W. Stafford, and K.A. High* 1619

Extracellular deposition of β-amyloid upon p53-dependent neuronal cell death in transgenic mice. *F.M. LaFerla, C.K. Hall, L. Ngo, and G. Jay* 1626

Tumor escape from immune recognition. Lethal recurrent melanoma in a patient associated with downregulation of the peptide transporter protein TAP-1 and loss of expression of the immunodominant MART-1/Melan-A antigen. *M.J. Maeurer, S.M. Gollin, D. Martin, W. Swaney, J. Bryant, C. Castelli, P. Robbins, G. Parmiani, W.J. Storkus, and M.T. Lotze* 1633

Correlation of the topographical arrangement and the functional pattern of tissue-infiltrating macrophages in giant cell arteritis. *C.M. Weyand, A.D. Wagner, J. Björnsson, and J.J. Goronzy* 1642

Regional expression of sodium pump subunit isoforms and Na^+-Ca^{++} exchanger in the human heart. *J. Wang, R.H.G. Schwinger, K. Frank, J. Müller-Ehmsen, P. Martin-Vasallo, T.A. Pressley, A. Xiang, E. Erdmann, and A.A. McDonough* 1650

Examples of in vivo isotype class switching in IgM^+ chronic lymphocytic leukemia B cells. *F. Fais, B. Sellars, F. Ghiotto, X.-J. Yan, M. Dono, S.L. Allen, D. Budman, K. Dittmar, J. Kolitz, S.M. Lichtman, P. Schulman, M. Schuster, V.P. Vinciguerra, K. Rai, F.K. Stevenson, P.K. Gregersen, M. Ferrarini, and N. Chiorazzi* 1659

Reactive oxygen intermediates increase vascular endothelial growth factor expression in vitro and in vivo. *M. Kuroki, E.E. Voest, S. Amano, L.V. Beerepoot, S. Takashima, M. Tolentino, R.Y. Kim, R.M. Rohan, K.A. Colby, K.-T. Yeo, A.P. Adamis* 1667

Epitope-specific T cell tolerance to phospholipase A_2 in bee venom immunotherapy and recovery by IL-2 and IL-15 in vitro. *C.A. Akdis, M. Akdis, T. Blesken, D. Wymann, S.S. Alkan, U. Müller, and K. Blaser* 1676

Dominant recognition by human $CD8^+$ cytotoxic T lymphocytes of dengue virus nonstructural proteins NS3 and NS1.2a. *A. Mathew, I. Kurane, A.L. Rothman, L.L. Zeng, M.A. Brinton, and F.A. Ennis* 1684

Author Index 1693

Contents

The Journal of Clinical Investigation
October 15, 1996, Volume 98, Number 8

Editorials

Psoriasis: Further evidence of a key role for leukocytes. *R.D. Grandstein* 1695

Mysterious cross talk between bone cells. *J.B. Lian* 1697

Perspectives

Adhesion and signaling in vascular cell–cell interactions. *G.A. Zimmerman, T.M. McIntyre, and S.M. Prescott* 1699

Rapid Publications

Muscle wasting in insulinopenic rats results from activation of the ATP-dependent, ubiquitin–proteasome proteolytic pathway by a mechanism including gene transcription. *S.R. Price, J.L. Bailey, X. Wang, C. Jurkovitz, B.K. England, X. Ding, L.S. Phillips, and W.E. Mitch* 1703

Autoimmunity in Chagas' Disease. Identification of cardiac myosin-B13 *Trypanosoma cruzi* protein crossreactive T cell clones in heart lesions of a chronic Chagas' cardiomyopathy patient. *E. Cunha-Neto, V. Coelho, L. Guilherme, A. Fiorelli, N. Stolf, and J. Kalil* 1709

Regular Articles

Acute lung injury fibroblast migration and invasion of a fibrin matrix is mediated by CD44. *K. Svee, J. White, P. Vaillant, J. Jessurun, U. Roongta, M. Krumwiede, D. Johnson, and C. Henke* 1713

G-protein α subunit Giα2 mediates erythropoietin signal transduction in human erythroid precursors. *B.A. Miller, L. Bell, C.A. Hansen, J.D. Robishaw, M.E. Linder, and J.Y. Cheung* 1728

Triiodothyronine induces over-expression of α-smooth muscle actin, restricts myofibrillar expansion and is permissive for the action of basic fibroblast growth factor and insulin-like growth factor I in adult rat cardiomyocytes. *M.A. Gosteli-Peter, B.A. Harder, H.M. Eppenberger, J. Zapf, and M.C. Schaub* 1737

Glanzmann thrombasthenia. Cooperation between sequence variants in *Cis* during splice site selection. *Y. Jin, H.C. Dietz, R.A. Montgomery, W.R. Bell, I. McIntosh, B. Coller, and P.F. Bray* 1745

Impaired hepatic glycogen synthesis in glucokinase-deficient (MODY-2) subjects. *G. Velho, K.F. Petersen, G. Perseghin, J.-H. Hwang, D.L. Rothman, M.E. Pueyo, G.W. Cline, P. Froguel, and G.I. Shulman* 1755

Genetic linkage of IgG autoantibody production in relation to lupus nephritis in New Zealand hybrid mice. *T.J. Vyse, C.G. Drake, S.J. Rozzo, E. Roper, S. Izui, and B.L. Kotzin* 1762

Direct preconditioning of cultured chick ventricular myocytes. Novel functions of cardiac adenosine A_{2a} and A_3 receptors. *J. Strickler, K.A. Jacobson, and B.T. Liang* 1773

Mechanisms of impaired β-adrenoceptor-induced airway relaxation by Interleukin-1β in vivo in the rat. *H. Koto, J.C.W. Mak, E.-B. Haddad, W.B. Xu, M. Salmon, P.J. Barnes, and K.F. Chung* 1780

Requirement for increased IL-10 in the development of B-1 lymphoproliferative disease in a murine model of CLL. *S. Ramachandra, R.A. Metcalf, T. Fredrickson, G.E. Marti, and E. Raveche* 1788

Human immunodeficiency virus-1 (HIV-1) gp120 superantigen-binding serum antibodies. A host factor in homosexual HIV-1 transmission. *J. Townsley-Fuchs, L. Kam, R. Fairhurst, S.J. Gange, L. Goodglick, J.V. Giorgi, N. Sidell, R. Detels, and J. Braun* 1794

Molecular identification of T cells that respond in a primary bulk culture to a peptide derived from a platelet glycoprotein implicated in neonatal alloimmune thrombocytopenia. *K. Maslanka, M. Yassai, and J. Gorski* 1802

A carboxy-terminal truncation of human α-galactosidase A in a heterozygous female with Fabry disease and modification of the enzymatic activity by the carboxy-terminal domain. Increased, reduced, or absent enzyme activity depending on number of amino acid residues deleted. *N. Miyamura, E. Araki, K. Matsuda, R. Yoshimura, N. Furukawa, K. Tsuruzoe, T. Shirotani, H. Kishikawa, K. Yamaguchi, and M. Shichiri* 1809

Impaired glucose homeostasis in insulin-like growth factor binding protein-1 transgenic mice. *K. Rajkumar, M. Krsek, S.T. Dheen, and L.J. Murphy* 1818

Insulin and insulin-like growth factor I differentially induce α_1-adrenergic receptor subtype expression in rat vascular smooth muscle cells. *Z.-W. Hu, X.-Y. Shi, and B.B. Hoffman* 1826

Demonstration of an osteoblast defect in two cases of human malignant osteopetrosis. Correction of the phenotype after bone marrow transplant. *D. Lajeunesse, L. Busque, P. Ménard, M.G. Brunette, and Y. Bonny* 1835

Characterization of a germline Vk gene encoding cationic anti-DNA antibody and role of receptor editing for development of the autoantibody in patients with systemic lupus erythematosus. *N. Suzuki, T. Harada, S. Mihara, and T. Sakane* 1843

Prevention of adoptively transferred diabetes in nonobese diabetic mice with IL-10–transduced islet-specific Th1 Lymphocytes. A gene therapy model for autoimmune diabetes. *M. Moritani, K. Yoshimoto, S. Ii, M. Kondo, H. Iwahana, T. Yamaoka, T. Sano, N. Nakano, H. Kikutani, and M. Itakura* 1851

Functional characterization of calcium-sensing receptor mutations expressed in human embryonic kidney cells. *S.H.S. Pearce, M. Bai, S.J. Quinn, O. Kifor, E.M. Brown, and R.V. Thakker* 1860

Chimeric mice carrying 'regional' targeted deletion of the angiotensin type 1A receptor gene. Evidence against the role for local angiotensin in the in vivo feedback regulation of renin synthesis in juxtaglomerular cells. *T. Matsusaka, H. Nishimura, H. Utsunomiya, J. Kakuchi, F. Niimura, T. Inagami, A. Fogo, and I. Ichikawa* 1867

Dermal injection of immunocytes induces psoriasis. *T. Wrone-Smith and B.J. Nickoloff* 1878

Autoantibodies to nuclear envelope antigens in chronic fatigue syndrome. *K. Konstantinov, A. von Mikecz, D. Buchwald, J. Jones, L. Gerace, and E.M. Tan* 1888

Troglitazone inhibits vascular smooth muscle cell growth and intimal hyperplasia. *R.E. Law, W.P. Meehan, X.-P. Xi, K. Graf, D.A. Wuthrich, W. Coats, D. Faxon, and W.A. Hsueh* 1897

Ablation of the murine α myosin heavy chain gene leads to dosage effects and functional deficits in the heart. *W.K. Jones, I.L. Grupp, T. Doetschman, G. Grupp, H. Osinska, T.E. Hewett, G. Boivin, J. Gulick, W.A. Ng, and J. Robbins* 1906

Processing and proliferative effects of human progastrin in transgenic mice. *T.C. Wang, T.J. Koh, A. Varro, R.J. Cahill, C.A. Dangler, J.G. Fox, and G.J. Dockray* 1918

150-kD oxygen-regulated protein is expressed in human atherosclerotic plaques and allows mononuclear phagocytes to withstand cellular stress on exposure to hypoxia and modified low density lipoprotein. *Y. Tsukamoto, K. Kuwabara, S. Hirota, J. Ikeda, D. Stern, H. Yanagi, M. Matsumoto, S. Ogawa, and Y. Kitamura* 1930

Author Index 1943

Contents

The Journal of Clinical Investigation
November 1, 1996, Volume 98, Number 9

Editorials

Oxygen sensing, potassium channels, and the ductus arteriosus. *S.H. Abman* 1945

Life and death at labor. *C.H. Streuli and J.D. Aplin* 1947

Perspectives

Endothelial adherens junctions: implications in the control of vascular permeability and angiogenesis. *E. Dejana* 1949

Rapid Publications

Hyaluronic acid capsule and the role of streptococcal entry into keratinocytes in invasive skin infection. *H.M. Schrager, J.G. Rheinwald, and M.R. Wessels* 1954

Oxygen-induced constriction of rabbit ductus arteriosus occurs via inhibition of a 4-aminopyridine-, voltage-sensitive potassium channel. *M. Tristani-Firouzi, H.L. Reeve, S. Tolarova, E.K. Weir, and S.L. Archer* 1959

Vascular damage without hypertension in transgenic rats expressing prorenin exclusively in the liver. *M. Véniant, J. Ménard, P. Bruneval, S. Morley, M.F. Gonzales, and J. Mullins* 1966

Regular Articles

A program of cell death and extracellular matrix degradation is activated in the amnion before the onset of labor. *H. Lei, E.E. Furth, R. Kalluri, T. Chiou, K.I. Tilly, J.L. Tilly, K.B. Elkon, J.J. Jeffrey, and J.F. Strauss III* 1971

Apoptosis induced by HIV-1 infection of the central nervous system. *B. Shi, U. De Girolami, J. He, S. Wang, A. Lorenzo, J. Busciglio, and D. Gabuzda* 1979

Regulation of extracellular matrix by mechanical stress in rat glomerular mesangial cells. *T. Yasuda, S. Kondo, T. Homma, and R.C. Harris* 1991

FcγRI-targeted fusion proteins result in efficient presentation by human monocytes of antigenic and antagonist T cell epitopes. *C. Liu, J. Goldstein, R.F. Graziano, J. He, J.K. O'Shea, Y. Deo, and P.M. Guyre* 2001

Contributions of de novo synthesis of fatty acids to total VLDL-triglyceride secretion during prolonged hyperglycemia/hyperinsulinemia in normal man. *A. Aarsland, D. Chinkes, and R.R. Wolfe* 2008

Characterization of vascular endothelial growth factor's effect on the activation of protein kinase C, its isoforms, and endothelial cell growth. *P. Xia, L.P. Aiello, H. Ishii, Z.Y. Jiang, D.J. Park, G.S. Robinson, H. Takagi, W.P. Newsome, M.R. Jirousek, and G.L. King* 2018

The mutation in the mitochondrial aldehyde dehydrogenase (ALDH2) gene responsible for alcohol-induced flushing increases turnover of the enzyme tetramers in a dominant fashion. *Q. Xiao, H. Weiner, and D.W. Crabb* 2027

Corticotropin-releasing hormone excites adrenocorticotropin-secreting human pituitary adenoma cells by activating a nonselective cation current. *K. Takano, J. Yasufuku-Takano, A. Teramoto, and T. Fujita* 2033

Bradykinin stimulates NF-κB activation and interleukin 1β gene expression in cultured human fibroblasts. *Z.K. Pan, B.L. Zuraw, C.-C. Lung, E.R. Prossnitz, D.D. Browning, and R.D. Ye* 2042

Asbestos induces apoptosis of human and rabbit pleural mesothelial cells via reactive oxygen species. *V.C. Broaddus, L. Yang, L.M. Scavo, J.D. Ernst, and A.M. Boylan* 2050

Atrial natriuretic peptide regulation of noradrenaline release in the anterior hypothalamic area of spontaneously hypertensive rats. *N. Peng, S. Oparil, Q.C. Meng, and J.M. Wyss* 2060

The antifungal antibiotic, clotrimazole, inhibits Cl^- secretion by polarized monolayers of human colonic epithelial cells. *P.A. Rufo, L. Jiang, S.J. Moe, C. Brugnara, S.L. Alper, and W.I. Lencer* 2066

Exacerbation of inflammation-associated colonic injury in rat through inhibition of cyclooxygenase-2. *B.K. Reuter, S. Asfaha, A. Buret, K.A. Sharkey, and J.L. Wallace* 2076

The Trp64Arg mutation of the β3 adrenergic receptor gene has no effect on obesity phenotypes in the Québec family study and Swedish obese subjects cohorts. *J. Gagnon, P. Mauriège, S. Roy, D. Sjöström, Y.C. Chagnon, F.T. Dionne, J.-M. Oppert, L. Pérusse, L. Sjöström, and C. Bouchard* 2086

Cardiac and skeletal muscle insulin resistance in patients with coronary heart disease. A study with positron emission tomography. *G. Paternostro, P.G. Camici, A.A. Lammerstma, N. Marinho, R.R. Baliga, J.S. Kooner, G.K. Radda, and E. Ferrannini* 2094

A carboxy-terminal truncated insulin receptor substrate-1 dominant negative protein reverses the human hepatocellular carcinoma malignant phenotype. *S. Tanaka and J.R. Wands* 2100

Autoimmunity associated with TGF-β1-deficiency in mice is dependent on MHC class II antigen expression. *J.J. Letterio, A.G. Geiser, A.B. Kulkarni, H. Dang, L. Kong, T. Nakabayashi, C.L. Mackall, R.E. Gress, and A.B. Roberts* 2109

Dynamic effects of acid on Barrett's esophagus. An ex vivo proliferation and differentiation model. *R.C. Fitzgerald, M.B. Omary, and G. Triadafilopoulos* 2120

Human cytomegalovirus increases modified low density lipoprotein uptake and scavenger receptor mRNA expression in vascular smooth muscle cells. *Y.F. Zhou, E. Guetta, Z.X. Yu, T. Finkel, and S.E. Epstein* 2129

Glomerular inflammation induces resistance to tubular injury in the rat. A novel form of acquired, heme oxygenase–dependent resistance to renal injury. *B.A. Vogt, T.P. Shanley, A. Croatt, J. Alam, K.J. Johnson, and K.A. Nath* 2139

Ethanol-induced retention of nascent proteins in rat hepatocytes is accompanied by altered distribution of the small GTP-binding protein Rab2. *J.M. Larkin, B. Oswald, and M.A. McNiven* 2146

Nitric oxide contributes to estrogen-induced vasodilation of the ovine uterine circulation. *C.R. Rosenfeld, B.E. Cox, T. Roy, and R.R. Magness* 2158

In vivo nitrogen metabolism in ornithine transcarbamylase deficiency. *M. Yudkoff, Y. Daikhin, I. Nissim, A. Jawad, J. Wilson, and M. Batshaw* 2167

Determinants and vitamin responsiveness of intermediate hyperhomocysteinemia (≥ 40 μmol/liter). The Hordaland homocysteine study. *A.B. Guttormsen, P.M. Ueland, I. Nesthus, O. Nygård, J. Schneede, S.E. Vollset, and H. Refsum* 2174

Author Index 2185

Correction 2187

Contents

The Journal of Clinical Investigation
November 15, 1996, Volume 98, Number 10

Editorials

Hensin: a matrix protein determinant of epithelial polarity. *R.J. Alpern* 2189

CD44: one ligand, two functions. *A. Aruffo* 2191

Perspectives

Genetic manipulation of vascular adhesion molecules in mice. *R.O. Hynes and D.D. Wagner* 2193

Rapid Publications

A homozygous nonsense mutation in the PLEC1 gene in patients with epidermolysis bullosa simplex with muscular dystrophy. *S. Chavanas, L. Pulkkinen, Y. Gache, F.J.D. Smith, W.H.I. McLean, J. Uitto, J.P. Ortonne, and G. Meneguzzi* 2196

Macrophage-mediated 15-lipoxygenase expression protects against atherosclerosis development. *J. Shen, E. Herderick, J.F. Cornhill, E. Zsigmond, H.-S. Kim, H. Kühn, N.V. Guevara, and L. Chan* 2201

Muscle differentiation during repair of myocardial necrosis in rats via gene transfer with myoD. *C.E. Murry, M.A. Kay, T. Bartosek, S.D. Hauschka, and S.M. Schwartz* 2209

Regular Articles

Osteopontin is produced by rat cardiac fibroblasts and mediates A_{II}-induced DNA synthesis and collagen gel contraction. *N. Ashizawa, K. Graf, Y.S. Do, T. Nunohiro, C.M. Giachelli, W.P. Meehan, T.-L. Tuan, and W.A. Hsueh* 2218

Thymic hyperplasia in patients with Graves' disease. Identification of thyrotropin receptors in human thymus. *M. Murakami, Y. Hosoi, T. Negishi, Y. Kamiya, K. Miyashita, M. Yamada, T. Iriuchijima, H. Yokoo, I. Yoshida, Y. Tsushima, and M. Mori* 2228

Can immunoglobulin C_H1 constant region domain modulate antigen binding affinity of antibodies? *O. Pritsch, G. Hudry-Clergeon, M. Buckle, Y. Pétillot, J.P. Bouvet, J. Gagnon, and G. Dighiero* 2235

Glucose plus insulin regulate fat oxidation by controlling the rate of fatty acid entry into the mitochondria. *L.S. Sidossis, C.A. Stuart, G.I. Shulman, G.D. Lopaschuk, and R.R. Wolfe* 2244

Cyclic AMP is a hepatorenal link influencing natriuresis and contributing to glucagon-induced hyperfiltration in rats. *M. Ahloulay, M. Déchaux, C. Hassler, N. Bouby, and L. Bankir* 2251

In the absence of the low density lipoprotein receptor, human apolipoprotein C1 overexpression in transgenic mice inhibits the hepatic uptake of very low density lipoproteins via a receptor-associated protein–sensitive pathway. *M.C. Jong, V.E.H. Dahlmans, P.J.J. van Gorp, K.W. van Dijk, M.L. Breuer, M.H. Hofker, and L.M. Havekes* 2259

Two core promotor mutations identified in a hepatitis B virus strain associated with fulminant hepatitis result in enhanced viral replication. *T.F. Baumert, S.A. Rogers, K. Hasegawa, and T.J. Liang* 2268

Rapamycin inhibits vascular smooth muscle cell migration. *M. Poon, S.O. Marx, R. Gallo, J.J. Badimon, M.B. Taubman, and A.R. Marks* 2277

Induction of tachykinin gene and peptide expression in guinea pig nodose primary afferent neurons by allergic airway inflammation. *A. Fischer, G.P. McGregor, A. Saria, B. Philippin, and W. Kummer* 2284

Aggrecan is degraded by matrix metalloproteinases in human arthritis. Evidence that matrix metalloproteinase and aggrecanase activities can be independent. *A.J. Fosang, K. Last, and R.A. Maciewicz* 2292

Combination of two mutant alpha spectrin alleles underlies a severe spherocytic hemolytic anemia. *H. Wichterle, M. Hanspal, J. Palek, and P. Jarolim* 2300

Immune response to type III group B streptococcal polysaccharide–tetanus toxoid conjugate vaccine. *D.L. Kasper, L.C. Paoletti, M.R. Wessels, H.-K. Guttormsen, V.J. Carey, H.J. Jennings, and C.J. Baker* 2308

Defective regulation of phosphatidylcholine-specific phospholipases C and D in a kindred with Tangier disease. Evidence for the involvement of phosphatidylcholine breakdown in HDL-mediated cholesterol efflux mechanisms. *M. Walter, H. Reinecke, U. Gerdes, J.-R. Nofer, G. Höbbel, U. Seedorf, and G. Assmann* 2315

Hensin, a new collecting duct protein involved in the in vitro plasticity of intercalated cell polarity. *J. Takito, C. Hikita, and Q. Al-Awqati* 2324

Eosinophil recruitment to the lung in a murine model of allergic inflammation. The role of T cells, chemokines, and adhesion receptors. *J.-A. Gonzalo, C.M. Lloyd, L. Kremer, E. Finger, C. Martinez-A., M.H. Siegelman, M. Cybulsky, and J.-C. Gutierrez-Ramos* 2332

Human primary myoblast cell cultures from non-diabetic insulin resistant subjects retain defects in insulin action. *D.B. Thompson, R. Pratley, and V. Ossowski* 2346

Estrogen suppresses activation but enhances formation phase of osteogenic response to mechanical stimulation in rat bone. *C.J. Jagger, J.W.M. Chow, and T.J. Chambers* 2351

Association of arthrogryposis multiplex congenita with maternal antibodies inhibiting fetal acetylcholine receptor function. *S. Riemersma, A. Vincent, D. Beeson, C. Newland, S. Hawke, B.V. Garabedian, B. Eymard, and J. Newsom-Davis* 2358

Systemic hypertension induced by hepatic overexpression of human preproendothelin-1 in rats. *V. Niranjan, S. Télémaque, D. deWit, R.D. Gerard, and M. Yanagisawa* 2364

Increased preβ-high density lipoprotein, apolipoprotein AI and phospholipid in mice expressing the human phospholipid transfer protein and human apolipoprotein AI transgenes. *X. Jiang, O.L. Francone, C. Bruce, R. Milne, J. Mar, A. Walsh, J.L. Breslow, and A.R. Tall* 2373

Adenosine triphosphate citrate lyase mediates hypocitraturia in rats. *J.Z. Melnick, P.A. Srere, N.A. Elshourbagy, O.W. Moe, P.A. Preisig, and R.J. Alpern* 2381

Linkage of aerobic glycolysis to sodium–potassium transport in rat skeletal muscle. Implications for increased muscle lactate production in sepsis. *J.H. James, C.-H. Fang, S.J. Schrantz, P.-O. Hasselgren, R.J. Paul, and J.E. Fischer* 2388

Molecular analysis of the fructose transporter gene (*GLUT5*) in isolated fructose malabsorption. *D. Wasserman, J.H. Hoekstra, V. Tolia, C.J. Taylor, B.S. Kirschner, J. Takeda, G.I. Bell, R. Taub, and E.B. Rand* 2398

Hyaluronan (HA) fragments induce chemokine gene expression in alveolar macrophages. The role of HA size and CD44. *C.M. McKee, M.B. Penno, M. Cowman, M.D. Burdick, R.M. Strieter, C. Bao, and P.W. Noble* 2403

Kringle-containing fragments of apolipoprotein(a) circulate in human plasma and are excreted into the urine. *V. Mooser, S.M. Marcovina, A.L. White, and H.H. Hobbs* 2414

Selective activation of the mitogen-activated protein kinase subgroups c-Jun NH_2 terminal kinase and p38 by IL-1 and TNF in human articular chondrocytes. *Y. Geng, J. Valbracht, and M. Lotz* 2425

Author Index 2431

Contents

The Journal of Clinical Investigation

December 1, 1996, Volume 98, Number 11

Editorials

Hypertrophic cardiomyopathy: A case study in converging pathways. *J. Robbins* 2433

When bad gene transfer is good. *J.M. Wilson* 2435

Perspectives

The extracellular matrix as a cell cycle control element in atherosclerosis and restenosis. *R.K. Assoian and E.E. Marcantonio* 2436

Rapid Publications

Postprandial stimulation of insulin release by glucose-dependent insulinotropic polypeptide (GIP). Effect of a specific glucose-dependent insulinotropic polypeptide receptor antagonist in the rat. *C.-C. Tseng, T.J. Kieffer, L.A. Jarboe, T.B. Usdin, and M.M. Wolfe* 2440

In situ microdialysis in bone tissue. Stimulation of prostaglandin E_2 release by weight-bearing mechanical loading. *K. Thorsen, A.O. Kristoffersson, U.H. Lerner, and R.P. Lorentzon* 2446

Magnetic resonance evidence of hypoxia in a homozygous alpha-knockout of a transgenic mouse model for sickle cell disease. *M.E. Fabry, R.P. Kennan, C. Pàszty, F. Costantini, E.M. Rubin, J.C. Gore, and R.L. Nagel* 2450

Expression and functional assessment of a truncated cardiac troponin T that causes hypertrophic cardiomyopathy. Evidence for a dominant negative action. *H. Watkins, C.E. Seidman, J.G. Seidman, H.S. Feng, and H.L. Sweeney* 2456

Interaction between the insulin-like growth factor family and the integrin receptor family in tissue repair processes. Evidence in a rabbit ear dermal ulcer model. *R.D. Galiano, L.L. Zhao, D.R. Clemmons, S.I. Roth, X. Lin, and T.A. Mustoe* 2462

Regular Articles

Thioredoxin: a redox-regulating cellular cofactor for glucocorticoid hormone action. Cross talk between endocrine control of stress response and cellular antioxidant defense system. *Y. Makino, K. Okamoto, N. Yoshikawa, M. Aoshima, K. Hirota, J. Yodoi, K. Umesono, I. Makino, and H. Tanaka* 2469

D-Glucose-induced dysmorphogenesis of embryonic kidney. *Y.S. Kanwar, Z.Z. Liu, A. Kumar, M.I. Usman, J. Wada, and E.I. Wallner* 2478

HLA-DQB1–defined genetic susceptibility, beta cell autoimmunity, and metabolic characteristics in familial and nonfamilial insulin-dependent diabetes mellitus. *R. Veijola, H. Reijonen, P. Vähäsalo, E. Sabbah, P. Kulmala, J. Ilonen, H.K. Åkerblom, M. Knip, and the Childhood Diabetes in Finland (DiMe) Study Group* 2489

Intracellular demonstration of active TGFβ1 in B cells and plasma cells of autoimmune mice. IgG-bound TGFβ1 suppresses neutrophil function and host defense against *Staphylococcus aureus* infection. *T.E. Caver, F.X. O'Sullivan, L.I. Gold, and H.D. Gresham* 2496

In vivo angiogenic activity and hypoxia induction of heterodimers of placenta growth factor/vascular endothelial growth factor. *Y. Cao, P. Linden, D. Shima, F. Browne, and J. Folkman* 2507

Skeletal myoblast transplantation for repair of myocardial necrosis. *C.E. Murry, R.W. Wiseman, S.M. Schwartz, and S.D. Hauschka* 2512

Glucose-stimulated insulin secretion correlates with changes in mitochondrial and cytosolic Ca^{2+} in aequorin expressing INS-1 cells. *E.D. Kennedy, R. Rizzuto, J.-M. Theler, W.-F. Pralong, C. Bastianutto, T. Pozzan, and C.B. Wollheim* 2524

Selective transgene expression for detection and elimination of contaminating carcinoma cells in hematopoietic stem cell sources. *L. Chen, M. Pulsipher, D. Chen, C. Sieff, A. Elias, H.A. Fine, and D.W. Kufe* 2539

B cells from patients with systemic lupus erythematosus display abnormal antigen receptor–mediated early signal transduction events. *S.-N.C. Liossis, B. Kovacs, G. Dennis, G.M. Kammer, and G.C. Tsokos* 2549

Relative potency of testosterone and dihydrotestosterone in preventing atrophy and apoptosis in the prostate of the castrated rat. *A.S. Wright, L.N. Thomas, R.C. Douglas, C.B. Lazier, and R.S. Rittmaster* 2558

Functional impairment of renal afferent arteriolar voltage-gated calcium channels in rats with diabetes mellitus. *P.K. Carmines, K. Ohishi, and H. Ikenaga* 2564

Reactive oxygen species produced by macrophage-derived foam cells regulate the activity of vascular matrix metalloproteinases in vitro. Implications for atherosclerotic plaque stability. *S. Rajagopalan, X.P. Meng, S. Ramasamy, D.G. Harrison, and Z.S. Galis* 2572

Molecular cloning and characterization of the vasopressin-regulated urea transporter of rat kidney collecting ducts. *C. Shayakul, A. Steel, and M.A. Hediger* 2580

Selective induction of apoptosis in Hep 3B cells by topoisomerase I inhibitors: Evidence for a protease-dependent pathway that does not activate cysteine protease P32. *P.N. Adjei, S.H. Kaufmann, W.-Y. Leung, F. Mao, and G.J. Gores* 2588

Naturally processed T cell epitopes from human glutamic acid decarboxylase identified using mice transgenic for the type 1 diabetes-associated human MHC class II allele, DRB1*0401. *L.S. Wicker, S.-L. Chen, G.T. Nepom, J.F. Elliott, D.C. Freed, A. Bansal, S. Zheng, A. Herman, Å. Lernmark, D.M. Zaller, L.B. Peterson, J.B. Rothbard, R. Cummings, and P.J. Whiteley* 2597

Hepatocyte growth factor as a key to modulate anti-ulcer action of prostaglandins in stomach. *M. Takahashi, S. Ota, Y. Hata, Y. Mikami, N. Azuma, T. Nakamura, A. Terano, and M. Omata* 2604

Genetic and environmental components of interindividual variation in circulating levels of IGF-I, IGF-II, IGFBP-1, and IGFBP-3. *M. Harrela, H. Koistinen, J. Kaprio, M. Lehtovirta, J. Tuomilehto, J. Eriksson, L. Toivanen, M. Koskenvuo, P. Leinonen, R. Koistinen, and M. Seppälä* 2612

Stimulated human lamina propria T cells manifest enhanced Fas-mediated apoptosis. *M. Boirivant, R. Pica, R. DeMaria, R. Testi, F. Pallone, and W. Strober* 2616

Mitogen-activated protein kinase (ERK1/2) activation by shear stress and adhesion in endothelial cells. Essential role for a herbimycin-sensitive kinase. *M. Takahashi and B.C. Berk* 2623

Reactive oxygen intermediates contribute to necrotic and apoptotic neuronal injury in an infant rat model of bacterial meningitis due to group B streptococci. *S.L. Leib, Y.S. Kim, L.L. Chow, R.A. Sheldon, and M.G. Täuber* 2632

Induction of central tolerance by intrathymic inoculation of adenoviral antigens into the host thymus permits long-term gene therapy in Gunn rats. *Y. Ilan, P. Attavar, M. Takahashi, A. Davidson, M. Horwitz, J. Guida, N.R. Chowdhury, and J.R. Chowdhury* 2640

Elevated blood pressure and enhanced myocardial contractility in mice with severe IGF-1 deficiency. *G. Lembo, H.A. Rockman, J.J. Hunter, H. Steinmetz, W.J. Koch, L. Ma, M.P. Prinz, J. Ross, Jr., K.R. Chien, and L. Powell-Braxton* 2648

Author Index 2657

The Journal of Clinical Investigation
December 15, 1996, Volume 98, Number 12

Editorial

Surprise? Bacteria glycosylate proteins too. *E.I. Tuomanen* 2659

Perspectives

Effects of fluid dynamic forces on vascular cell adhesion. *K. Konstantopoulos and L.V. McIntire* 2661

Rapid Publications

Plasminogen activator inhibitor-1 in acute hyperoxic mouse lung injury. *C. Barazzone, D. Belin, P.-F. Piguet, J.-D. Vassalli, and A.-P. Sappino* 2666

Identification and localization of polycystin, the *PKD1* gene product. *L. Geng, Y. Segal, B. Peissel, N. Deng, Y. Pei, F. Carone, H.G. Rennke, A.M. Glücksmann-Kuis, M.C. Schneider, M. Ericsson, S.T. Reeders, and J. Zhou* 2674

Proliferation induced by keratinocyte growth factor enhances in vivo retroviral-mediated gene transfer to mouse hepatocytes. *A. Bosch, P.B. McCray, Jr., S.M.W. Chang, T.R. Ulich, W.S. Simonet, D.J. Jolly, and B.L. Davidson* 2683

DNA aptamers block L-selectin function in vivo. Inhibition of human lymphocyte trafficking in SCID mice. *B.J. Hicke, S.R. Watson, A. Koenig, C.K. Lynott, R.F. Bargatze, Y.-F. Chang, S. Ringquist, L. Moon-McDermott, S. Jennings, T. Fitzwater, H.-L. Han, N. Varki, I. Albinana, M.C. Willis, A. Varki, and D. Parma* 2688

Inhibition of T cell costimulation abrogates airway hyperresponsiveness in a murine model. *S.J. Krinzman, G.T. De Sanctis, M. Cernadas, D. Mark, Y. Wang, J. Listman, L. Kobzik, C. Donovan, K. Nassr, I. Katona, D.C. Christiani, D.L. Perkins, and P.W. Finn* 2693

Regular Articles

Induction of neonatal tolerance by plasmid DNA vaccination of mice. *G. Mor, G. Yamshchikov, M. Sedegah, M. Takeno, R. Wang, R.A. Houghten, S. Hoffman, and D.M. Klinman* 2700

Nitric oxide may mediate the hemodynamic effects of recombinant growth hormone in patients with acquired growth hormone deficiency. A double-blind, placebo-controlled study. *R.H. Böger, C. Skamira, S.M. Bode-Böger, G. Brabant, A. von zur Mühlen, and J.C. Frölich* 2706

Accelerated neutrophil apoptosis in the acquired immunodeficiency syndrome. *D.L. Pitrak, H.C. Tsai, K.M. Mullane, S.H. Sutton, and P. Stevens* 2714

Intracellular cleavage of hepatitis C virus RNA and inhibition of viral protein translation by hammerhead ribozymes. *N. Sakamoto, C.H. Wu, and G.Y. Wu* 2720

Characterization of SR 121463A, a highly potent and selective, orally active vasopressin V_2 receptor antagonist. *C. Serradeil-Le Gal, C. Lacour, G. Valette, G. Garcia, L. Foulon, G. Galindo, L. Bankir, B. Pouzet, G. Guillon, C. Barberis, D. Chicot, S. Jard, P. Vilain, C. Garcia, E. Marty, D. Raufaste, G. Brossard, D. Nisato, J.P. Maffrand, and G. Le Fur* 2729

Relaxin induces an extracellular matrix-degrading phenotype in human lung fibroblasts in vitro and inhibits lung fibrosis in a murine model in vivo. *E.N. Unemori, L.B. Pickford, A.L. Salles, C.E. Piercy, B.H. Grove, M.E. Erikson, and E.P. Amento* 2739

HLA-B27 heavy chains contribute to spontaneous inflammatory disease in B27/human β_2-microglobulin (β_2m) double transgenic mice with disrupted mouse β_2m. *S.D. Khare, J. Hansen, H.S. Luthra, and C.S. David* 2746

Muscarinic receptor modulation of basal and β-adrenergic stimulated function of the failing human left ventricle. *G.E. Newton, A.B. Parker, J.S. Landzberg, W.S. Colucci, and J.D. Parker* 2756

Differences in endogenous peptides presented by HLA-B*2705 and B*2703 allelic variants. Implications for susceptibility to spondylarthropathies. *F. Boisgérault, V. Tieng, M.-C. Stolzenberg, N. Dulphy, I. Khalil, R. Tamouza, D. Charron, and A. Toubert* 2764

Growth inhibitory properties of endothelin-1 in activated human hepatic stellate cells: A cyclic adenosine monophosphate–mediated pathway. Inhibition of both extracellular signal-regulated kinase and c-Jun kinase and upregulation of endothelin B receptors. *A. Mallat, A.-M. Préaux, C. Serradeil-Le Gal, D. Raufaste, C. Gallois, D.A. Brenner, C. Bradham, J. Maclouf, V. Iourgenko, L. Fouassier, D. Dhumeaux, P. Mavier, and S. Lotersztajn* 2771

Spinal cord adenosine receptor stimulation in rats inhibits peripheral neutrophil accumulation. The role of *N*-methyl-D-aspartate receptors. *G.W. Bong, S. Rosengren, and G.S. Firestein* 2779

Effects of tacrolimus (FK506) on human insulin gene expression, insulin mRNA levels, and insulin secretion in HIT-T15 cells. *J.B. Redmon, L.K. Olson, M.B. Armstrong, M.J. Greene, and R.P. Robertson* 2786

The human immunoglobulin V_H gene repertoire is genetically controlled and unaltered by chronic autoimmune stimulation. *H. Kohsaka, D.A. Carson, L.Z. Rassenti, W.E.R. Ollier, P.P. Chen, T.J. Kipps, and N. Miyasaka* 2794

Long-lived and transferable tumor immunity in mice after targeted interleukin-2 therapy. *J.C. Becker, N. Varki, S.D. Gillies, K. Furukawa, and R.A. Reisfeld* 2801

Prolonged exposure of human β cells to elevated glucose levels results in sustained cellular activation leading to a loss of glucose regulation. *Z. Ling and D.G. Pipeleers* 2805

An N-linked high-mannose type oligosaccharide, expressed at the major outer membrane protein of *Chlamydia trachomatis*, mediates attachment and infectivity of the microorganism to HeLa cells. *C.-c. Kuo, N. Takahashi, A.F. Swanson, Y. Ozeki, and S.-i. Hakomori* 2813

Mechanism of first-dose cytokine-release syndrome by CAMPATH 1-H: Involvement of CD16 (FcγRIII) and CD11a/CD18 (LFA-1) on NK cells. *M.G. Wing, T. Moreau, J. Greenwood, R.M. Smith, G. Hale, J. Isaacs, H. Waldmann, P.J. Lachmann, and A. Compston* 2819

Repertoire cloning of lupus anti-DNA autoantibodies. *P. Roben, S.M. Barbas, L. Sandoval, J.-M. Lecerf, B.D. Stollar, A. Solomon, and G.J. Silverman* 2827

Congenital hypothyroid goiter with deficient thyroglobulin. Identification of an endoplasmic reticulum storage disease with induction of molecular chaperones. *G. Medeiros-Neto, P.S. Kim, S.E. Yoo, J. Vono, H.M. Targovnik, R. Camargo, S.A. Hossain, and P. Arvan* 2838

Targeted expression of IL-11 in the murine airway causes lymphocytic inflammation, bronchial remodeling, and airways obstruction. *W. Tang, G.P. Geba, T. Zheng, P. Ray, R.J. Homer, C. Kuhn III, R.A. Flavell, and J.A. Elias* 2845

Tumor necrosis factor alpha–induced apoptosis in cardiac myocytes. Involvement of the sphingolipid signaling cascade in cardiac cell death. *K.A. Krown, M.T. Page, C. Nguyen, D. Zechner, V. Gutierrez, K.L. Comstock, C.C. Glembotski, P.J.E. Quintana, and R.A. Sabbadini* 2854

Functional analysis of the mutations in the human cardiac β-myosin that are responsible for familial hypertrophic cardiomyopathy. Implication for the clinical outcome. *M. Sata and M. Ikebe* 2866

Local anesthetics as effectors of allosteric gating. Lidocaine effects on inactivation-deficient rat skeletal muscle Na channels. *J.R. Balser, H.B. Nuss, D.W. Orias, D.C. Johns, E. Marban, G.F. Tomaselli, and J.H. Lawrence* 2874

Increased expression of insulin/insulin-like growth factor-I hybrid receptors in skeletal muscle of noninsulin-dependent diabetes mellitus subjects. *M. Federici, L. Zucaro, O. Porzio, R. Massoud, P. Borboni, D. Lauro, and G. Sesti* 2887

Particle-mediated gene transfer with transforming growth factor–β1 cDNAs enhances wound repair in rat skin. *S.I. Benn, J.S. Whitsitt, K.N. Broadley, L.B. Nanney, D. Perkins, L. He, M. Patel, J.R. Morgan, W.F. Swain, and J.M. Davidson* 2894

Author Index 2903

Author Index to Volume 98 2905